



ICT International Pty Ltd

Instrumentation for Soil, Crop & Environmental Monitoring

Stem Hygrometer References

<http://ictinternational.com.au/stemhygrometer.htm>

Comstock, J.P. 2000, '**Correction of Thermocouple Psychrometer Readings for the Interaction of Temperature and Actual Water Potential**', *Crop Science*, vol. 40, pp. 709-712.

Dixon, M.A. and Tyree, M.T. 1984, '**A New Stem Hygrometer, Corrected for Temperature Gradients and Calibrated against the Pressure Bomb**', *Plant, Cell and Environment*, vol. 7, pp. 693-697.

Edwards, D.R. and Dixon, M.A. 1995, '**Mechanisms of Drought Response in *Thuja occidentalis* L. I. Water Stress Conditioning and Osmotic Adjustment**', *Tree Physiology*, vol. 15, pp. 121-127.

Fisher, R.A., Williams, M., Do Vale, R.L., Da Costa, A.L. and Meir, P. 2006, '**Evidence from Amazonian Forests is Consistent with Isohydric Control of Leaf Water Potential**', *Plant Cell & Environment*, vol. 29, pp. 151-165.

Lee, D.R., Dixon, M.A. and Johnson, R.W. 1989, '**Simultaneous Measurements of Tomato Fruit and Stem Water Potentials using In Situ Stem Hygrometers**', *Canadian Journal of Botany*, vol. 67, pp. 2352-2355.

Robinson, S., Dixon, M.A. and Zheng, Y. 2007, '**Vascular Blockage in Cut Roses in a Suspension of *Pseudomonas fluorescens***', *Journal of Horticultural Science & Biotechnology*, vol. 82, no. 5, pp. 808-814.

Vogt, U.T. 2001, '**Hydraulic Vulnerability, Vessel Refilling, and Seasonal Courses of Stem Water Potential of *Sorbus aucuparia* L. and *Sambucus nigra* L.**' *Journal of Experimental Botany*, vol. 52, no. 360, pp. 1527-1536.

ICT International Pty Ltd

PO Box 503 Armidale NSW 2350 Australia ABN: 75002372554

Phone: 61 2 6772 6770 Fax: 61 2 6772 7616

E-mail: sales@ictinternational.com.au